

AN IDEAL BALANCE OF SIZE AND FUNCTIONALITY

To keep your business workflow moving in the right direction, Sharp introduces the FO-2080 Digital Multifunction Document Communication System. The versatile FO-2080 combines high speed faxing functionality with the conveniences of high-quality digital copying, network printing, and full color scanning. Its feature-rich copying and printing capabilities are simple and easy-to-use, making them readily accessible to anyone in your workgroup. And with Sharp's long history of award-winning reliability, the FO-2080 is engineered to keep up with today's busy workplace environments.



Sharp's innovative features

- High speed **Super G3 Faxing** capabilities help keep your business workflow moving.
- Robust **20 ppm Copying and Printing** speeds, all in a compact, desktop design.
- **Auto Duplexing** comes standard for Copying, Printing, and PC Scanning.
- **Standard Dual Paper Trays** allow for different paper sizes or types, or added paper supply.
- **Auto Tray Switching** automatically changes which paper tray the device is using if one becomes empty while printing.
- **Offset Stacking** and **E-Sort** offer convenient and time-saving finishing options.
- **Full Color PC Scanning** makes it easy to send scanned files to multiple destinations, each configurable with specific file types.
- A **Data Transfer Function** can send received faxes to a different fax machine for printing.



FAST & EFFICIENT BUSINESS FAXING

The FO-2080 makes everyday business document communication quick and easy. Two-sided documents up to 50 sheets long are easily scanned using the Auto Reversing Single Pass Document Feeder, while built-in Super G3 faxing capabilities ensure that faxes are sent quickly and with no time wasted. Even sending documents to multiple destinations is simple and straightforward with advanced features like Group Dialing, Chain Dialing, and Broadcasting.

DIGITAL DOCUMENT IMAGING

With Sharpdesk®, Sharp's innovative document management software, all of your business documents can be integrated into one place for easy organizing, editing, sharing, and archiving. And scanning your documents is no problem with Button Manager, Sharp's built-in utility designed to help you select file types (such as PDF, TIFF, and Bitmap), and manage commonly-used destinations for sent files. It gives you the ability to send scanned documents directly to any folder on your computer's hard drive, making storage and filing a simple and speedy one-step process.

CONVENIENT, RELIABLE COPYING & HIGH QUALITY PRINTING

The Sharp FO-2080 is not only a highly capable workgroup business fax – this MFP-based model is also a multitasking, digital multifunction printer, with the ability to handle your everyday copying and printing needs. It can also help you increase office productivity with its instant warm up times, dual paper trays, and

Continuous Copying capability, letting you scan once and print up to 99 sheets. The Sharp FO-2080 has been designed with the ability to create crisp, clear business documents with no hassle and in less time.

ADVANCED PAPER HANDLING

The Sharp FO-2080 offers two standard 250-sheet paper trays that can accommodate different paper sizes or types, along with a 50-sheet bypass tray for an overall maximum capacity of 550 sheets. It also delivers features such as E-Sort and Offset Stacking, making tasks such as collating, separating, and sorting absolutely effortless.

EASY-TO-USE SHARP UTILITIES

Taking device control to a whole new level, the Embedded Web Page is Sharp's online management tool, easily accessible from any computer connected to your local area network. Sharp's Printer Status Window is a handy utility which lets you monitor the status of your documents as they are printing, and can even notify you if an error occurred during the printing process. And another convenient tool is the Online Manual, which lets you easily navigate through all of the technical information on the functions of the machine, or simply search the manual for details on a specific feature.

FO-2080 SPECIFICATIONS

Main Specifications

Model:	FO-2080
Type:	Multifunctional Document Communication System
Standard Functions:	Fax/Copy/Print/PC Scan
Copy/Print System:	Laser, dry electrostatic transfer system
Fusing System:	Heat rollers
Developer System:	Magnetic brush development
Light Source:	Cold cathode fluorescent lamp (CCD: 3 components; R, G, and B)
Power Supply:	120 V, 60 Hz, 8.0 A
Power Consumption:	Max. 1.0 kW or less
Weight:	Approx. 50.6 lbs. (22.9 kg) ¹
Dimensions:	20.4" (W) x 17.6" (D) x 18.1" (H) 518 mm (W) x 445 mm (D) x 459 mm (H)
Space Requirements (with trays extended):	31.6" (W) x 17.6" (D) 802 mm (W) x 445 mm (D)
Operating Conditions:	Temperature: 50°F to 86°F (10°C to 30°C) Humidity: 20% to 85%
Supported Operating Systems:	CD-ROM: Windows® 2000/XP (32-bit)/Vista (32-bit) Via Download: Windows XP (64-bit)/Vista (64-bit)
Utilities:	Web-based management, integrated software installer, Printer Status Window, Online manual

Faxing Specifications

Applicable Telephone Line:	Public Switched Telephone Network (PSTN)
Compression Method:	MH, MR, MMR, JBIG
Transmission Modes:	Super G3, G3
Scanning Method:	CCD flatbed scanning
Scanning Resolution:	8 x 3.85 lines/mm (Standard) 8 x 7.7 lines/mm (Fine, Fine + Halftone) 8 x 15.4 lines/mm (Super Fine, Super Fine + Halftone)
Transmission Speed:	Super G3 (up to 33.6 kbps) ²
Transmission Time:	Approx. 2 seconds (Super G3 mode/33.6 kbps, JBIG) Approx. 6 seconds (G3 ECM mode/14.4 kbps, JBIG)
Paper Size:	8-1/2" x 11" (Letter), 8-1/2" x 14" (Legal), or A4
Recording Width:	8-1/2" Max. (8-1/2" x 14" printing)
Transmittable Original Size:	When using the RSPF: Maximum: One-sided original: 8-1/2" x 19.7" Two-sided original: 8-1/2" x 14" Minimum: 8-1/2" x 5-1/2" When using the document glass: Maximum: 8-1/2" x 14"
Scanning Width:	8-1/2" Maximum
Halftone Transmission:	256 levels
Contrast (Exposure) Adjustment:	Light, Medium, Dark
Extension Telephone Connection:	Yes
Auto Dialing:	100 Speed Dial numbers; combined total of 18 One-Touch Dial and Group keys; automatic redialing
Group Dials/Broadcasting:	100 destinations/18 groups
Timer Transmission:	Yes
Automatic Document Feeding:	Yes (50 pages)
Memory Capacity:	2 MB
Job Memory:	Up to 50
Error Correction Mode (ECM):	Yes
Duplex Sending:	Yes
Duplex Receiving:	Yes
Import/Export of Address Book:	Yes

Copying Specifications

Photoconductive Type:	OPC drum
Originals:	Sheets, bound documents
Original Feed System:	50-sheet auto reversing single pass feeder (RSPF)/document glass
RSPF Feeding: Approx.	14 originals per minute (letter/100%/simplex), original weight 15 to 24 lb. Bond
Paper Feed System:	Dual Paper Trays: 250-sheet capacity per tray Manual Bypass Tray: 50-sheet capacity
Paper Type:	Paper Cassettes: 15-21 lb. standard or recycled bond paper Bypass Tray: Up to 50 sheets 15-34 lb. standard or recycled bond paper; postcards/envelopes (#10 Monarch)/OHP film /labels one sheet feed
Original Size:	Max. 8-1/2" x 14"
Copy Size:	Max. 8-1/2" x 14" Min. 3-1/2" x 5-1/2" Image Loss: Max. 11/64" (4 mm) (leading and trailing edges) Max. 3/16" (4.5 mm) (along other edges in total)
Copy Speed:	20 ppm (8-1/2" x 11", one-sided copying at 100% copy ratio)
Continuous Copy:	Max. 99 copies; subtractive counter
First-Copy Time:	8.0 seconds ³
Warm-Up Time:	Approx. 0 sec. ⁴
Zoom Range:	Document Glass: Variable: 25% to 400% in 1% increments Fixed Zoom Mode: 25%, 50%, 64%, 78%, 100%, 129%, 200%, 400% RSPF: Variable: 50% to 200% in 1% increments Fixed Zoom Mode: 50%, 64%, 78%, 100%, 129%, 200%
Exposure System:	Document Glass: Moving optical source, slit exposure (stationary platen) with automatic exposure function RSPF: Moving original
Exposure Modes:	AUTO/TEXT/PHOTO
Auto Exposure:	600 x 300 dpi (5 manual steps (TEXT/PHOTO))
Resolution:	Scan: 600 x 300 dpi; Output: 600 x 600 dpi (AUTO/TEXT mode) Scan: 600 x 600 dpi; Output: 600 x 600 dpi (PHOTO mode)
Gradation:	256 tones (8 bits)
Output Tray Capacity:	200 sheets (face down)
Offset Stacking:	Standard paper shifter (offset stacks sets by 1 inch in output tray)
Copy Features:	Duplex copying, offset stacking, electronic sorting, auto tray switching, 2-in-1 copy, zoom, margin shift, variable memory adjustment, and auto shut off

Network Printing Specifications

Print Speed:	Up to 20 ppm
Resolution:	600 x 600 dpi
Port Types:	Ethernet; USB 2.0
Interface:	10BASE-T Network Interface USB 2.0 (Full-Speed/Hi-Speed compatible interface)
Emulation:	SPLC (Sharp Printer Language with JBIG Compression)
Network Protocols:	TCP/IP (IPv4)
Printing Protocols:	LPR, USB 2.0 [Hi Speed]
Memory:	Approx. 30 MB
Print Size:	8.5" x 14" to 3.87" x 5.83"
Print Features:	Duplex printing, offset print, status window, 2-up/4-up printing, fit to page, watermark
Minimum System Requirements:	Ethernet interface or USB port and CD-ROM drive; Windows 2000, XP, Vista
Printing Software:	Print driver, Printer Status Window
Scan Once Print Many:	Yes

PC Scanning Specifications

Type:	Flatbed full color/monochrome PC scanning system
Scanning Method:	Document glass/RSPF
Resolution:	Basic: 600 dpi x 1200 dpi (optical) Setting Range: 50 dpi – 9600 dpi (maximum interpolated)
Original Type:	Sheets/books up to 8-1/2" x 14"
Effective Scanning Area:	8.5" (216 mm) (Lengthwise) x 14" (356 mm) (Width)
Scanning Speed:	2.88 msec/line
Input Data:	1 bit or 12 bit
Bit Depth:	24 bit color
Output Data:	R.G.B. 1 or 8 bits / pixel / A/D 16 bit
Scanning Colors:	Black and white 2 value, Grayscale, Full color
Protocol:	TWAIN, WIA (Windows XP/Vista only), STI
Interface:	USB 2.0 (Full-Speed/Hi-Speed compatible interface)
Drop Out Color:	Yes
Void Area:	None
Scanner Software:	Sharpdesk® desktop document management software, with Button Manager for scan destination control and image-to-text OCR (Optical Character Recognition)
PC Scan Destinations:	5 preset PC scan destinations can be configured using Button Manager
File Formats:	BMP/JPEG/TIFF/PDF
Scanning Features:	Scan to Sharpdesk, Scan to E-mail, Scan to Fax, Scan to OCR, Scan to Microsoft® Word (or other application), Scan to File

Optional Equipment & Supplies

AR-208ABD:	Deluxe Cabinet (with door and locking casters)
FO-55ND:	Toner ⁵ (Yield: approx. 6,000 letter size pages, 5% image area)
FO-55DR:	Drum Cartridge ⁵ (Yield: approx 18,000 pages)

¹ Not including toner and drum cartridges.

² On ITU-T Test Chart # 1 standard resolution.

Actual transmission time will vary according to line conditions.

³ When "CHECK RSPF OPEN" is set to OFF (paper: 8-1/2" x 11", exposure mode: AUTO, copy ratio: 100%).

⁴ The warm-up time may vary depending on machine operating conditions and ambient conditions such as temperature.

⁵ Starter toner and full-life drum cartridge included with FO-2080.



SHARP®

SHARP ELECTRONICS CORPORATION
Sharp Plaza, Mahwah, NJ 07495-1163
1-800-BE-SHARP • www.sharpsusa.com

Design and specifications subject to change without notice. Sharp, My Sharp, Sharpdesk and all related trademarks are trademarks or registered trademarks of Sharp Corporation and/or its affiliated companies. Microsoft Word, Windows and Windows Vista are trademarks or registered trademarks of Microsoft Corporation. All other trademarks are the property of their respective owners.